

# Certificate of constancy of performance

0764 - CPR - 0286

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

**mineral wool mats faced with compound aluminium foil  
thermal insulation for buildings  
- product parameters according to annex -**

placed on the market under the name or trade mark of

**Astron Buildings S.A.**

**34 Route d'Ettelbruck  
9230 Diekirch  
LUXEMBURG**

and produced in the manufacturing plant

**Astron Buildings S.A.**

**9230 Diekirch  
LUXEMBURG**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

**EN 13162:2012+A1:2015**

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the


***constancy of performance of the construction product.***

This certificate was first issued on and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

2 January 2018



Head of the Certification Body

  
(ORR Dr.-Ing. Höveling)



**Annex 1**  
to  
**Certificate of constancy of performance**  
**0764 – CPR – 0286**  
**(English Version)**

for the construction products  
-mineral wool mats faced with compound aluminium;  
thermal insulation for buildings-

produced in the factory  
**Astron Buildings S.A.**  
9230 Diekirch  
LUXEMBURG

Product	Nominal thickness mm	Reaction to fire according to EN 13501-1
ASTROTHERM ASA	40 - 120	A1
ASTROTHERM AVS	50 - 120	A2-s1,d0

Hannover, 2. January 2018



Head of the Certification Body

(ORR/Dr.-Ing. Höveling)